



20% Pullet Starter

Non-GMO

A Complete Diet For Starting Pullet Chicks

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	19.50%
Lysine	Minimum	1.00%
Methionine	Minimum	0.45%
Crude Fat	Minimum	8.00%
Crude Fiber	Maximum	8.00%
Calcium	Minimum	0.75%
Calcium	Maximum	1.50%
Phosphorus	Minimum	0.70%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Grain Products, Plant Protein Products, Forage Products, Organic Gut Solution, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Lysine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Cobalt Proteinate, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt, Sulfate

FEEDING DIRECTIONS

Feed CFH 20% Pullet Starter as the sole diet to start pullet chicks from 0 to 6 weeks of age.
Provide grit free choice. Provide clean water free choice at all times. For a more detailed multi-phase pullet nutrition program, contact your local dealer.

MANUFACTURED BY
Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR
Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmssupply.com



16% Layer Feed

Non-GMO

A Complete Ration For Laying Chickens

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	15.50%
Lysine	Minimum	0.84%
Methionine	Minimum	0.35%
Crude Fat	Minimum	6.00%
Crude Fiber	Maximum	7.00%
Calcium	Minimum	3.90%
Calcium	Maximum	4.40%
Phosphorus	Minimum	0.55%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Grain Products, Plant Protein Products, Forage Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Protein, Manganese Protein, Copper Protein, Cobalt Protein, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt, Sulfate

FEEDING DIRECTIONS

Feed CFH 16% Layer as the sole ration to laying poultry as a general use layer diet. Provide grit free choice. Provide clean water free choice at all times. For a more detailed multi-phase layer nutritional program, contact your local dealer.

MANUFACTURED BY

Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR

Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmssupply.com



16% Layer Feed

Non-GMO/Soy Protein Free

A Complete Ration For Laying Chickens

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	15.00%
Lysine	Minimum	0.83%
Methionine	Minimum	0.40%
Crude Fat	Minimum	9.00%
Crude Fiber	Maximum	14.00%
Calcium	Minimum	3.90%
Calcium	Maximum	4.40%
Phosphorus	Minimum	0.70%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Grain Products, Plant Protein Products, Forage Products, Organic Gut Solution, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Cobalt Proteinate, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt, Sulfate

FEEDING DIRECTIONS

Feed CFH 16% Layer as the sole ration to laying poultry as a general use layer diet. Provide grit free choice. Provide clean water free choice at all times. For a more detailed multi-phase layer nutritional program, contact your local dealer.

MANUFACTURED BY
Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR
Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmsupply.com



16% Layer Feed

No Corn/Soy Protein Free

A Complete Ration For Laying Chickens

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	15.00%
Lysine	Minimum	0.85%
Methionine	Minimum	0.40%
Crude Fat	Minimum	2.00%
Crude Fiber	Maximum	8.00%
Calcium	Minimum	4.20%
Calcium	Maximum	4.25%
Phosphorus	Minimum	0.35%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Plant Protein Products, Grain Products, Forage Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Protein, Manganese Protein, Copper Protein, Cobalt Protein, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Solubles Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt Sulfate, Lysine, Natural Color

FEEDING DIRECTIONS

Feed CFH 16% Layer No Corn/Soy Protein Free as the sole ration to laying poultry as a general use layer diet. Provide grit free choice. Always provide clean water free choice. For a more detailed multi-phase layer nutritional program, contact your local dealer.

MANUFACTURED BY
Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR
Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmsupply.com

Net Weight 50 Lbs (22.72 Kg.)

09/23



22% Broiler Starter

Non-GMO

A Complete Diet For Starting Broiler Chickens

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	22.00%
Lysine	Minimum	1.26%
Methionine	Minimum	0.49%
Crude Fat	Minimum	9.50%
Crude Fiber	Maximum	7.00%
Calcium	Minimum	0.75%
Calcium	Maximum	1.25%
Phosphorus	Minimum	0.65%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Grain Products, Plant Protein Products, Animal Protein Products, Forage Products, Organic Gut Solution, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Cobalt Proteinate, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt, Sulfate

FEEDING DIRECTIONS

Feed CFH 22% Broiler Starter as the sole diet to start broilers from 0 to 21 days of age.
Provide grit free choice. Provide clean water free choice at all times. For a more detailed multi-phase broiler nutrition program, contact your local dealer.

MANUFACTURED BY

Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR

Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmsupply.com



18% Broiler G/F

Non-GMO

A Complete Diet For Growing And Finishing Broiler Chickens

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	18.00%
Lysine	Minimum	0.99%
Methionine	Minimum	0.41%
Crude Fat	Minimum	8.00%
Crude Fiber	Maximum	6.00%
Calcium	Minimum	0.85%
Calcium	Maximum	1.30%
Phosphorus	Minimum	0.55%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Grain Products, Plant Protein Products, Forage Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Cobalt Proteinate, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt, Sulfate

FEEDING DIRECTIONS

Feed CFH 18% Broiler G/F as the sole diet to growing and finishing broilers from 21 to 42 days of age. Provide grit free choice. Provide clean water free choice at all times. For a more detailed multi-phase broiler nutrition program, contact your local dealer.

MANUFACTURED BY
Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR
Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmssupply.com

Net Weight 50 Lbs (22.72 Kg.)

12/21



18% Broiler G/F

Non-GMO/Soy Protein Free

A Complete Diet For Growing And Finishing Broiler Chickens

19 to 42 Days of Age

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	17.50%
Lysine	Minimum	0.95%
Methionine	Minimum	0.45%
Crude Fat	Minimum	11.00%
Crude Fiber	Maximum	15.00%
Calcium	Minimum	0.80%
Calcium	Maximum	1.00%
Phosphorus	Minimum	0.80%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Grain Products, Plant Protein Products, Forage Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Protein, Manganese Protein, Copper Protein, Cobalt Protein, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt, Sulfate

FEEDING DIRECTIONS

Feed CFH 18% Broiler G/F as the sole diet to growing and finishing broilers from 19 to 42 days of age. Provide grit free choice. Provide clean water free choice at all times. For a more detailed multi-phase broiler nutrition program, contact your local dealer.

MANUFACTURED BY

Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR

Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmsupply.com

Net Weight 50 Lbs (22.72 Kg.)

12/21



28% Turkey Starter

A Complete Ration For Starting Turkeys From 0 to 4 Weeks Of Age

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	27.50%
Lysine	Minimum	1.65%
Methionine	Minimum	0.62%
Crude Fat	Minimum	12.00%
Crude Fiber	Maximum	8.00%
Calcium	Minimum	0.90%
Calcium	Maximum	1.90%
Phosphorus	Minimum	0.95%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Plant Protein Products, Grain Products, Forage Products, Organic Gut Solution, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Lysine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Cobalt Proteinate, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt Sulfate

FEEDING DIRECTIONS

Feed 28% Turkey Starter as the sole ration to starting turkeys from 0 to 4 weeks of age.
Provide grit free choice if possible. Provide clean water free choice at all times.
For a more detailed multi-phase nutritional program, contact your local dealer.

MANUFACTURED BY

Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR

Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmsupply.com



23% Turkey Developer

A Complete Ration For Starting Turkeys From 8 Weeks To Finish

GUARANTEED ANALYSIS (Non-Medicated)

Crude Protein	Minimum	23.00%
Lysine	Minimum	1.40%
Methionine	Minimum	0.50%
Crude Fat	Minimum	10.00%
Crude Fiber	Maximum	7.00%
Calcium	Minimum	0.85%
Calcium	Maximum	1.60%
Phosphorus	Minimum	0.85%
Salt	Minimum	0.25%
Salt	Maximum	0.75%

INGREDIENTS

Plant Protein Products, Grain Products, Forage Products, Organic Gut Solution, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Brewers Liquid Yeast, dl-Methionine, Lysine, Sodium Bicarbonate, Manganese Polysaccharide Complex, Soybean Oil, Zinc Proteinate, Manganese Proteinate, Copper Proteinate, Cobalt Proteinate, Zinc Polysaccharide Complex, Betaine, Yeast Extract, Vitamin E Supplement, Selenium Yeast, Brewers Dried Yeast, Yucca schidigera Extract (for flavor), Dried Trichoderma Reesei Fermentation Extract dehydrated, Dried Aspergillus Niger Fermentation Extract, Dried Saccharomyces Cerevisiae Fermentation Soluble Extract, Copper Polysaccharide Complex, Niacin Supplement, Dried Aspergillus Oryzae Fermentation Extract, Vitamin A Supplement, Biotin, d-Pantothenic Acid, Folic Acid, Vitamin B-12 Supplement, Dried Bacillus Licheniformis Fermentation Product, Riboflavin Supplement, Dried Lactobacillus Acidophilus Fermentation Product, Vitamin D₃ Supplement, Menadione Dimethylpyrimidinol Bisulfite (a source of Vitamin K), Thiamine Mononitrate, Pyridoxine Hydrochloride, Dried Enterococcus Faecium Fermentation Product, Calcium Iodate, Cobalt Sulfate

FEEDING DIRECTIONS

Feed 23% Turkey Developer as the sole ration to starting turkeys from 8 weeks of age to finish.

Provide grit free choice if possible. Provide clean water free choice at all times.

For a more detailed multi-phase nutritional program, contact your local dealer.

MANUFACTURED BY

Bender Farms, Inc.
Norlina, NC

MANUFACTURED FOR

Country Farm & Home Supply
203 South Small Street
Pittsboro, North Carolina 27312
(919) 542-3353
www.chathamfarmsupply.com